

INDIAN INSTITUTE OF TECHNOLOGY, BOMBAY ESTATE OFFICE, POWAI, MUMBAI, MAHARASHTRA – 400 076

TEL. 022 2576 4995 E-mail : drestate@titb.ac.in

IIT Bombay invites digitally signed Technical Bid & Financial Bid for following work from the contractors having similar experience in Central Government Departments / State Government Departments / Central or State Autonomous Bodies / State or Central Public Sector Undertakings & Large Private Organizations. The detail of work is given below:

Sr. No.	Name of Work	Estimated Cost (In Rs.) Incl. 18% GST	EMD (Rs.)	Time Limit	RFX No.
1.	Providing and applying external painting with repair work at Hostel No. 09. EO/A/HOSTEL/WKS-42/24-25	Rs.1,41,96,779/-	Rs.2,80,000/-	06 Months	6100001762

Intending bidders needs to be register themselves on IIT Bombay portal i.e. https://portal.iitb.ac.in/vrp/index.jsp to get User ID and Password. View the open tender on https://ep.iitb.ac.in/irj/portal Please visit https://portal.iitb.ac.in/vrp/vrp_srm_docs.jsp for configuration process and user manual. Queries regarding to vendor registration please contact on 022 – 2159 3001(ASC Help-desk) and queries regarding to online Bid submission please contact to +91 82915 56277/6377.

Date and time of submission of tender documents digitally are from 05.06.2024 to 19.06.2024 till 11:15 a.m.Date of opening of Technical Bid will be 19.06.2024 at 11.30 a.m. and and Financial Bid 26.06.2024 (Tentative)

Interested contractors/agencies are requested to upload Technical bid and Financial bid on the SRM tendering portal of IIT Bombay.

- (A) All contractors/agencies should upload technical bid with the following documents on SRM tendering portal, failing to which their tender will be summarily rejected from the tendering process:
 - 1) i. Experience of having successfully completed works during the last 7 years ending last day of the month previous to the one in which applications are invited:

Three **completed works** costing not less than the amount equal to 40% of estimated cost put to tender,

OR

Two **completed works**, costing not less than the amount equal to 60% of the estimated cost put to tender Or

One **completed work** of aggregate cost not less than the amount equal to 80% of the estimated cost. AND

- ii. One completed work of any nature (either part of (i) or a separate one) costing not less than the amount equal to 40% of the estimated cost put to tender with some Central Government Departments / State Government Departments / State or Central Autonomous Bodies / State or Central Public Sector undertakings.
- 2) Detail statement for work completed, work in hand including balance commitment of work should be enclosed for last three year commencing from 1st April and ended with 31st March and contractor should submit his details as per Annexure'At format with support of xerox copies of work order and work completion certificates, otherwise the bid capacity will not be calculated and his technical bid will be summarily rejected, and no Financial Bid will be opened. (All contractors/agencies are hereby informed that they should upload Technical bid as per format of Annexure "A", changing in format is not allowed).
- 3) Upload a scan copy of the information in respect of **manpower/mandays** for above said work must be given **in undertaking** with official signature and seal/stamp, otherwise tender will be **rejected**.
- 4) Bank Solvency certificate 40% of estimated amount issued within one year from any Nationalized / Schedule Bank from the date of publishing of Tender.
- 5) P. F. registration certificate.
- 6) P. F. challans of last 12months.
- (i) ESIC registration certificate and copies of ESIC challans of last 12months.
 - (ii) Contractors' all risks insurance (CAR policy) / Mediclaim policy.
- 8) PAN card.
- 9) GST registration certificate.
- 10) Income Tax Return for last 03 years i.e. of 2021-22, 2022-23 and 2023-24.
- 11) List of Equipment's, Machinery, Tools.
- 12) List of Technical Staff with copies of their Degree/diploma certificate.
- 13) Labour Licence obtained during in 03 years.

- 14) The contractors who were empanelled under Estate Office under (2018-23) list need not have to upload Demand Draft. The contractors other than empanel list that are applying for tender need to upload a scan copy of Demand Draft / Pay Order for Rs.2,80,000/-(EMD amount) drawn in favour of "The Registrar, IIT Bombay" on online Tendering Portal.
- 15) Power of Attorney, if any.
- 16) Proof of Constitution: An affidavit in case of Sole Proprietorship, Partnership Deed in case of Partnership Firm, Article of Association in case of Private / Public Limited Companies.

Note:

Those contractors who do not have documents mentioned above from <u>Sr. No. 1 to 16</u> need not apply as it is mandatory documents to qualify in technical bids.

Upload all your relevant documents in the serial order mentioned above. It is **advisable** not to make more than <u>03 folders of 5MB</u> while uploading documents.

The work will be executed with lowest bidder as per the terms and conditions of work order and tender documents signed by the lowest bidder. (All agencies are requested to upload a scan copy of Terms and Conditions with official signature and seal/stamp on SRM online tendering portal)

The validity of the bids will be valid for 6 months from the date of opening of tender.

If agency fails to submit the above mentioned documents by uploading to the online portal, their technical bid may be rejected.

Litigation history of the agency is required to be uploaded along with the application. Tender would not be awarded if any inquiry proceeding / criminal case is found pending against the agency.

No work will be subleted to third party. If found payment of final bill will not be processed and the contractor's name will removed from the enlistment without giving him further notice.

Contractor's/Agencies/Proprietor's are requested to give Power of Attorney to your representative to deal any matter with any Officers or Staff of IIT Bombay on behalf of you or your agency.

Rates of an estimate are based on CPWD DSR 2021, and ongoing market rate analysis.

The contractor have to quote his own rates online against each item of work and need to select N5 tax code thereafter.

Scan and upload all the above mentioned documents in <u>"C folder"</u> of online SRM tendering protal.

IIT Bombay reserve its rights to reject any or all tenders without assigning any reason and without any reference.

Superintending Engineer (I/C)

FULLIM

TO BE UPLOADED ON SRM TENDERING PORTAL WITH FINANCIAL BID

ANNEXURE 'A' (FORMAT) TECHNICAL BID

File No.: EO/A/HOSTEL/WKS-42/24-25

Name of Work: Providing and applying External painting with repair work at hostel no.9.

Name of the Contractor ------

Sr. No.	Name of Client	Name of Works			2023-2024 (In Lakhs)	2024-2 (In La	
						Completed	Balance
37.00			-				**
	OLI MARAMANA AND AND AND AND AND AND AND AND AND						
			V-5	113		77	Prog.
		Total Amount (In Lakhs)	-	<u>-</u>	-		

Note: Contractor must submit his details as per Annexure 'A' with declaration stating that he is possessing all the original copies of work orders and experience certificates, it will be produced as and when required to IIT Bombay. However, if it is found false at later stage, the contractor will be debarred or blacklisted. Whereas, if information is not submitted as per Annexure 'A' format his bid capacity will not been calculated and his tender will be summarily rejected.

Superintending Engineer (I/C)

Signature of Contractor Name & Address in full

WORKS UNDERTAKING

EO/A/HOSTEL/WKS-42/24-25

To, Superintending Engineer (I/C) Indian Institute of Technology, Powai, Mumbai – 400 076.

Sub : Providing and applying External painting with repair work at hostel no.9.

Dear Sir.

We are hereby quoting all the rates for the attached schedule of short tender of the above mentioned job.

We hereby accept & signed all the General Terms and Conditions and special Conditions of Contract.

The work will be completed within specified time limit of Six Months as mentioned in the notice inviting for short tenders.

The following information is required to be provided. If fails to do so, the tender will be assumed incomplete and hence the same will be rejected.

I / We agree to keep the tender open for One Hundred and Eighty (180) days from the due date of its opening / One Hundred and Eighty days from the date of opening of financial bid in case tenders are invited on 2/3 envelope system and not to make any modification in its terms and conditions.

 No. of Unskilled casual labour to be required per day. No. of Skilled casual labour to be required per day. 	: :
The Mandays required for completion of work.	:
Thanking you,	

Yours faithfully,

Signature of the Contractor With official Seal / Stamp of the firm

INDIAN INSTITUTE OF TECHNOLOGY BOMBAY POWAI, MUMBAI - 400076

EO/A/HOSTEL/WKS-42/24-25

ESTATE OFFICE

Name of work: Providing and applying External painting with repair work at Hostel No.9.

Schedule of work

Sr. No.	Description of work	Qty.	Unit
1	Carefully removing the internal & external damaged cement plaster of any thickness from columns, beams, slabs, chajjas, paradis, walls fins, staircase etc. in patches or any length by using electrical cutting tools/manually means up to any depth without damaging brickwork, plaster in the vicinity, cleaning, stacking the debrises at suitable location, cleaning the site etc. including covering the furniture with plastic sheet including H frame double scaffolding / step ladder etc. all complete as directed. Note: Proper tools to be used for removal of plaster.	2400.00	Sqm
2	Exposing the existing damaged RCC members like columns, beams, slabs, chajjas, paradis, fins, staircase etc in patches or any length by using electrical cutting tools/manual means up to any depth till the corroded reinforcement will be opened allround without damaging brickwork, plaster in the vicinity, cleaning, stacking the debrises, cleaning the site etc.all complete as directed including covering the furniture with plastic sheet while exposing concrete including H frame double scaffolding/ step ladder etc. All complete. As directed. Note: Proper tools to be used for removal of concrete.	950.00	Sqm
3	Old reinforcement treatment: Providing and applying reinforcement treatment, comprising of following operations. Cleaning the reinforcement from all sides by using wire brush, tools etc. Application of rust converter such as Alkaline base as per manufacturers specification including H frame double scaffolding etc. all complete as directed. Actual consumption of Alkaline base converter shall be measured for payment on weight basis. Challans of authorized dealer will be verified.	190.00	Kg.

Sr. No.	Description of work	Qty.	Unit
4	Providing and applying an effective bond coat of Polymer (SBR) approved by IITB and cement in the proportion of 1:1 using brush in multiple coats as required to accommodate the whole thickness of polymer modified mortar wherever required on old concrete surface/repaired concrete surface, H frame double scaffolding etc. all complete as directed. Polymer (SBR) of approved manufacturer should have the following properties: Suspended solid particle should not be less than 40%-specific gravity should not be more than 1.01-PH should not be less than 8.5. Note: The actual consumption of polymer shall be measured for payment on weight basis. Challans of authorised dealer will be verified.	1425.00	Kg.
5	Providing and Placing in position readymix polymer mortar manufacture by Dr. Fixit, Sunanda, Roff, MC Bouchmey, Chembond and approved and adding water in the proportion of 1:0.14 (polymer mortar: water), mixing polymer modified mortar with water, applying the same on prepared R.C.C. surface/wall surface in layers including H frame double scaffolding etc all complete as directed. (Payment will be paid for the actual quantity of polymer mortar PX used on weight basis. Challans of authorised Dealer will be verified.	60850.00	Kg.
6	Dismantling RCC members such as chajjas, beams, slab, column, pardi etc including breaking concrete by chiseling, wedging etc.cutting the reinforcements stacking at site and taking away out of IIT Campus,H frame double scaffolding etc.all complete as directed. (5% amount of this item will be recovered for scrap value of reinforcement.)	10.00	Cum
7	Providing & fixing in position TMT bars of grade Fe-500D reinforcement of various diameters for RCC lintels, beams, slabs, columns, chajjas etc as per details given including cutting, hooking the bars, binding with wires or tack welding & supporting as required including H frame double scaffolding/step ladder etc. all complete as directed.	1000.00	Kg
8	Providing and casting in situ cement concrete 1:1:2 (M-25) of trap metal for RCC slabs/lintel/beam/chajja/band as per details including formwork,compacting, including H frame double scaffolding, curing etc. all compete as directed. (excluding steel reinforcement).	3.00	Cum.

Sr. No.	Description of work	Qty.	Unit
9	Providing and laying super fluid micro concrete of approved manufacturer at any floor after reinforcement treatment coat including mixing with 5mm to 10mm size quartz aggregate in the ratio of 1 part ACC shrikomp to 0.75 part of quartz aggregate by weight providing plywood formwork in line and level, cleaning, curing,H frame double scaffolding etc. All complete. the compressive strength of super fluid micro concrete should not be less than 30N / mm2 etc. All complete as directed.(Original challans of authorised dealer will be verified.)	14500.00	Kg
10	Cutting, demarcating grooves at any height with electrically operated cutter machine between sound and unsound plaster, cracks on external wall, separation cracks including H frame double scaffolding, stacking the debrises at suitable location etc. all complete as directed.	1500.00	Rmt
11	Providing and filling separation crack of 50mm width and 25mm deep with polymer modified cementatious mortar. Demarcating groove, removing plaster / concrete carefully, washing with potable water. Filling polymer modified cementatious mortar in layers of 20mm thick (applying bond coat at every layer) upto profile of concrete in vicinity (composition of mortar: cement 1Kg.: polymer (SBR) of approved manufacturer 15% by wt. of cement: 3Kg silica sand (grading IS 383, zone II, silt content = 0%) over a polymer + cement bond coat including applying making tape on both side of groove, cleaning, finishing to match the plaster in vicinity, H frame double scaffolding, cleaning etc. all complete as directed. Proportion Bond coat SBR polymer + cement in the ratio 1:1 by volume. Polymer modified cementitious mortar SBR polymer 150ml. Cement 1 Kg. Silica sand 3.0 kg. (Note: - Demarcating groove, breaking plaster / concrete shall be paid under respective items).	1,500.00	Rmt
12	Removing loose mortar from the brick joints wherever plaster has removed filling all the joints with 1:2 cement mortar mixed with impermo waterproofing compound 1kg / bag of cement or pidiproof of pidilite industries Ltd. waterproofing compound @ 200 ml per bag of cement or acquaproof waterproofing compound, watering the surface fixing the new brick / brick pieces wherever bricks are broken, curing the surface including H frame double scaffolding etc. all complete as directed.	1300.00	Sqm

Sr. No.	Description of work	Qty.	Unit
13	Providing and fixing G.I. welded mesh 12mm x 12mm and 12 gauge thick along the cracks at external wall, properly embedding the same in wall plaster including H frame double scaffolding etc. All complete as directed.	10.00	Sqm
14	Providing and applying external waterproof plaster 20mm thick in two coats by using factory made ready mix polymer modified waterproof cement plaster of approved make (M/s Wall Plast, M/s Fare-Matt) or equivalent. i) Applying base coat of minimum 12mm thick over the prepared surface using above ready mixed polymer modified mortar plaster to proper plumb level & line including making the plaster surface rough (all as per the manufacturer's specifications) to receive the top finish coat. ii) Applying top/finish coat plaster of minimum 8mm thickness with similar ready mix polymer cement mortar plaster finishing in perfect plumb, line & level so as to obtain fine sand grain finish by using branded approved variety sponge or using mechanised devise including adding additional required quantity of cement for managing richer mix preferable ordinary portland cement 43 grade variety of approved brand at no extra cost, doing regular curing for minimum 7 days. Iii)) The rate shall include providing H frame double scaffolding as per the specifications prescribed at above upto the required height and doing work at all heights and lifts etc. All complete as directed.	2400.00	Sqm
15	Providing temporary steel supports such as tubular steel props 50mm dia, as required for supporting system till the repair work of the beam, column, slab, chajja, etc. work completed in all respects as directed and when required in any floor of any height inside and outside of the building and removing the supporting system as directed without damaging the structure etc. all complete as directed.	50.00	Nos
16	Providing cement plaster 20mm thick in single coat in cement mortar 1:4 to concrete or brick surfaces in all positions including curing, H frame double scaffolding etc .all complete as directed.	50.00	Sqm
17	Providing and applying white cement based Birla make wall care putty with uniform thickness over the existing internal cement plaster in proper line / level including preparing the wall surface,H frame double scaffolding etc. all complete as directed.	50.00	Sqm

Sr. No.	Description of work	Qty.	Unit
18	Providing and applying one coat of acrylic primer and two coats of pure Acrylic exterior paint of IITB approved manufacturer i.e. (Berger, Asian, Killick Nixon, Goodlass, Nerolac, ICI, Decocem) and as per manufacturer's specification on old or new plastered surface over concrete / brickwork as per manufacturer's specification including H frame double scaffolding and cleaning the surface thoroughly with coir brush, watering the surface etc. complete including covering the floor, window glass with plastic sheet etc. all complete as directed.	8,800.00	Sqm
19	Providing and applying one coat of seal cement primer of approved manufacturer and shade including H frame double scaffolding, cleaning the surfaces etc. All complete as directed.	50.00	Sqm
20	Providing and applying acrylic oil bound distemper in two/more coats to old/new plastered surfaces including H frame double scaffolding, preparing the surfaces to receive the paint by brushing and brooming down and applying putty etc. All complet as directed.	50.00	Sqm
21	Providing and applying two coats of synthetic enamel paint of Asian / Berger /ICI/Jenson & Nicholson,/ Goodlass / Nerolac approved brand & desired shade to old and new wood work and structural steel works with the use of H frame double scaffolding/stepladder, including preparing the surface by scrapping, filling all cracks / holes with lambi / palti, leveling the surface, cleaning etc. all complete as directed.	950.00	Sqm
22	Carefully removing the existing C.I./P.V.C./C.I. drain pipes of any dia. from floor / walls / slab etc. with out damaging the structures and taking away the same out of IIT Campus, H frame double scaffolding etc. all complete as directed. (15% amount of this item will be deducted for scrap value of material)	550.00	Rmt
23	Removing windows/ventilators of any type with/without frame and shutters, mild steel/wrought iron grill work, welded/flyproof mesh etc. and taking away the same out of IIT Campus, H frame double scaffolding etc all complete as directed. (20% amount of this item will be deducted for scrap value of material)	150.00	Nos

Sr. No.	Description of work	Qty.	Unit
24	Providing and laying waterproofing treatment to terrace surface with 3mm thick APP modified bitumen membrane with polymer reinforcement with overlapping of 75mm along length and 100mm along width of any height including removing the existing waterproofing treatment such as tarfelt, APP membrane, chemical coating etc. without causing damages to the structure, cleaning the surface neatly, removing the dust and loose mortar from the terrace surface and repairing the same with 1:3 cement mortar mixed with waterproofing compound, including applying bitumen based primer @ 0.20Ltr/Sqm and laying the 3mm thick APP modified bitumen membrane, coating with torching method and finishing surface with heat reflective bitumen based silver @ 0.10Ltr /Sqm and covering the whole treatment with five years guarantee on requisite stamp paper of Rs.500.00 etc. all complete as directed.(Make Nilobit/STP/Asian Paint Ltd/Chryso india Pvt Ltd)	5.00	Sqm
25	Providing and fixing P.V.C. soil / waste water pipes 75mm inner dia. And having wall thickness of 2 to 3.2 mm conforming to I.S. 13592-1992 including with P.V.C. plug bend, necessary fittings such as offsets including fixing the pipe on wall using approved M.S cleats projecting 25mm to 40mm from face of wall and fixing with clips of approved quality and number, filling the joints using rubber gasket with solvent cement including necessary H frame double scaffolding. etc. all complete as directed. (Submission of warranty for maintenance for a period of 3 years for any leakages /dislocation of pipes after the completion date on a non-judicial stamp paper of Rs.100/)	375.00	Rmt
26	Providing and fixing P.V.C. soil / waste water pipes 110mm outer dia. And having wall thickness of 2.5 to 3.2mm conforming to I.S. 13592-1992 including with P.V.C. plug bend, necessary fittings such as offsets including fixing the pipe on wall using M.S cleats projecting 25mm to 40mm from face of wall and fixing with clips of approved quality and number, filling the joints using rubber gasket with solvent cement including necessary H frame double scaffolding scaffolding.etc. all complete as directed. (Submission of warranty for maintenance for a period of 3 years for any leakages /dislocation of pipes after the completion date on a non-judicial stamp paper of Rs.100/)	175.00	Rmt

Sr.	Description of work	Qty.	Unit
No. 27	Providing and fixing aluminium louvered ventilators using 50mm x 25mm x 16 guage aluminium box frame (0.59 Kg/Rmt) anodized to 15 microns / powder coated for outer frame and intermediate vertical members as directed including 5mm thick plain or frosted glass 125mm wide for louvers at proper inclination including P/F glass on adjustable aluminium louvered of approved size including necessary provision for exhaust system,H frame double scaffolding etc.all complete as directed.	65.00	Sqm
3 28	Providing and fixing 2nd class country teakwood frame for doors, windows, ventilators cupboars, by using wood of required size as per site condition including all moulding, rebating, cutting the detoriated members of wooden frame where ever required and applying coal tar on the external faces of frame, H frame double scaffolding etc. all complete as directed. (Payment will be made for actual measurement of members)	1.25	Cum
29	Providing and fixing country teakwood 2nd class fully glazed single / double leaf windows / ventilators rectangular in shape adopting section of 70mm x 32mm for styles and rails or as directed including providing and fixing 4mm thick plain / bajiri glass with teakwood beading, fixing the window / ventilator shutters with 75mm size butt hinges (Brass oxidized) 2 Nos. for each shutter, aluminium towerbolt 100mm size one for each shutter, aluminium handle 125mm one for each shutter, hooks & eyes 200mm one for each shutter,providing and fixing 16mm dia.G.I. coated M.S.rod horizontally inside the wooden frame as per site requirement, applying two coats of synthetic enamel paint of approved brand and shade over a coat of wood primer,H frame double scaffolding etc. All complete as directed.	28.00	Sqm
30	Providing and fixing G.I. welded mesh 25mm x 25mm and 14 gauge thick to window/ventilator, welding, applying two coat of synthetic enamel paint, H frame double scaffolding etc.all complete as directed.	35.00	Sqm

Sr. No.	Description of work	Qty.	Unit
31	Providing and fixing SS 304 grade flyproof wire mesh on windows with 25mm X 25mm and 25mm X 6mm wooden border patti for framework and middle horizontal and jali in proper line / level, providing about 150mm X 150mm size opening with 19 gauge thick stainless steel sheet sliding shutter and framework necessary fitting in the net as per the samples provided in the student rooms of Hostel with step ladder if required including oil painting to wooden framework with step ladder/H frame double scaffolding etc. all complete as directed.	40.00	Sqm
32	Providing & fabricating structural steel works in rolled section like angles, plates etc as per site requirement, applying hot dip galvanizing coating, as per standard specification with thickness not less than 120 microns, including fixing in position with connecting plates, braces and welding, riveting, bolting as necessary including H frame double scaffolding etc. all complete as directed.	2,500.00	Kg
33	Providing and fixing 20mm thick cement bonded wood particle board (bison panel) for chajja, ceiling at any floor, providing suitable hole for fixing nuts and bolts including making suitable groove on plaster and vatta, proper slope,H frame double scaffolding wherever required complete as directed.	75.00	Sqm
34	Providing and fixing P.V.C. rain water pipes 150mm outer dia. and having wall thickness of 2.2 to 2.7mm conforming to I.S. 13592-1992 including proper rain water receiving recess with P.V.C. plug bend, necessary fittings such as offsets, shoes including fixing the pipe on wall using approved M.S cleats projecting 25mm to 40mm from face of wall & fixing with clips of approved quality & number, filling the joints using rubber gasket with solvent cement and properly resting the shoe of pipes on C.C. or masonry blocks, including H frame double scaffolding, removing the existing damaged rainwater pipes and taking away the same out of IIT Campus etc. All complete as directed. (5% amount of this item will be deducted for scrap value of material)	205.00	Rmt

Sr. No.	Description of work	Qty.	Unit
35	Disposing debrises, loose stones, boulders, concrete pieces etc. collected and stacked as directed including loading in trucks, transporting out of IIT Campus including obtaining permission of BMC competent authorities for disposing off on to their approved locations. The debrises are to be removed from site within 7 days limit from stacking (30% voids will be deducted in case of truck measurement) etc. all complete as directed.	100.00	Cum

- 1) Note: This schedule of work is given for reference purpose only. Contractors are requested to quote your rates online in financial bid.
- 2) If you will engage labourer 20 or more any day, you have to get labour licence as per contract Regulation & Abolition Act 1970 Rule 1971, and also, you have to keep all such recored for inspection to the Principal Employer. If you will engage labour up to 10 Nos. per day, you have to be returns after completion of work as per Building & Construction Act to the Office of Regional Labour Commissioner (Central), Sion, Mumbai.
- 3) This work is to be executed as per the the clauses mentioned in the tender document signed by you. In addition to the existing safety clause of the tender document a penalty of Rs.5,000/- per case will be recovered from the bills of the particular works, in case any such safety violations are noticed.
- 4) 01% amount will be deducted from the bills for safety related measures which will be reimburse along with the final bill.
- 5) Taxes as per government notification time to time.
- 6) Contractor must pay GST Taxes to concern authority within 30 days time limit after receipt of payment from IIT Bombay & said record must be submitted to IIT Bombay Accounts Section, otherwise action will be taken as deemed fit.
- 7) If any malpractices / fraud / negligent professional behaviour or any discrepancy / inconsistency / disparity / deviation / disagreement / dissimilarity / mismatch noticed, their contract will be terminated by issuing one month notice by following legal procedure and will be acklisted and informed to all Government Authorities and Organisations.

Superintending Engineer (I/C)

Page 9 of 9