



भारतीय प्रौद्योगिकी संस्थान मुंबई
पवई, मुंबई- 400 076, भारत

Indian Institute of Technology Bombay
Powai, Mumbai-400 076, India



दूरभाष/ Phone : (+91-22)25722545

फैक्स/ Fax : (+91-22)25723480

वेबसाईट/ Website : www.iitb.ac.in

IIT Bombay

Dated: 06.02.2025

Corrigendum –II

For Scrap Disposal Tender No.: MMD/HOSP/SQ-36/E-waste/24-25
Please Note the following changes with respect to as per Annexure-B the
above mentioned tender due on 11.02.2025

| Sr. No | PARTICULARS | Previous Clause | Changed Clause |
|--------|---|--|---|
| 1 | Physical Inspection Schedule | 03.02.2025 to 04.02.2025 From 10:00 am to 5:00 pm | 07.02.2025 & 10.02.2025 From 10.00pm to 5.00pm |
| 2 | Bid Submission End Date/Date & Time of Submission | Up to 05.02.2025 till 3.00 pm | Up to 11.02.2025 till 3.00 pm |
| 3 | Bid Opening Date & Time | 05.02.2025 at 03.30 pm | 11.02.2025 at 3.30 pm |

Assistant Registrar (MM)

सहायक कुलसचिव (सा. प्रशा.)

Asst. Registrar (MM)

भारतीय प्रौद्योगिकी संस्थान मुंबई

Indian Institute of Technology, Bombay

पवई / Powai, मुंबई / Mumbai - 400 076.

II) The Annexure -B:

| Location of Scrap: IITB Hospital, IIT Bombay Powai, Mumbai 400076 | | |
|--|---|-----------------|
| Contact Person: Mr. Abhishek Deshpande (9014180480/02225767051)) | | |
| E-waste | | |
| Sr.NO | Particulars | Quantity/Weight |
| 1 | APC UPS | 02 nos. |
| 2 | Sonography Machine Monitor Laser printer | 02 no. |
| 3 | Digital Weighing Machines | 02 no. |
| 4 | Electrical Torch Lights | 15 nos. |
| 5 | Fridge | 01 no. |
| 6 | Split AC / Window AC | 02 nos. |
| 7 | Digital BP Apparatus | 01 nos. |
| Note: <ul style="list-style-type: none">• Physical inspection is mandatory. No further complaints will be entertained later. | | |
| Inspection Period: 07.02.2025 & 10.02.2025, between 10:00 am to 5:00 pm. | | |

All other terms and conditions except the above amendments remain unchanged