



सामग्री प्रबंधन प्रभाग
भारतीय प्रौद्योगिकी संस्थान मुंबई
पवई, मुंबई-400 076, भारत

Materials Management Division
Indian Institute of Technology Bombay
Powai, Mumbai-400 076, India

Phone : (+91-22) 2576 8800,
8801 to 5, 5009, 8848
E-mail : drmm@iitb.ac.in
Website : www.iitb.ac.in

IIT Bombay

30.07.2021

Corrigendum - III

GPC HPLC System

RFx No. 6100000723 (PR Reference No. 1000017907)

Sr.No.	Online RFx Clause	Previous Clause	Changed Clause
1	Bid Submission End Date/Date & Time of Submission (Online RFx Clause)	02.08.2021 at 13:00	09.08.2021 at 13:00
2	Bid Opening Date & Time (Online RFx Clause)	02.08.2021 at 15:00	09.08.2021 at 15:00

Changes in Technical Specifications

Reference No.	Previous Clause	Changed Clause
1.3	Flow rate should be settable between 0.01mL/min to 10.00mL/min or better without any hardware changes	Flow rate should be settable between 0.01mL/min to 20.00mL/min or better without any hardware changes
1.4	Number of solvent channels should be at least four	Number of solvent channels should be at least eight

for
Satvankar
Additional Registrar (MM)